

ACTA MATERIALIA

CONTENTS OF VOLUME 49

NUMBER 1

A. Brokman, A. H. King and A. J. Vilenkin	1	The role of segregation in diffusion-induced grain boundary migration
Y. H. Wen, Y. Wang and L. Q. Chen	13	Influence of an applied strain field on microstructural evolution during the $\alpha_2 \rightarrow O$ -phase transformation in Ti-Al-Nb system
M. Murayama, Z. Horita and K. Hono	21	Microstructure of two-phase Al-1.7 at% Cu alloy deformed by equal-channel angular pressing
H. Assadi, A. A. Shirzadi and E. R. Wallach	31	Transient liquid phase diffusion bonding under a temperature gradient: modelling of the interface morphology
S. Celotto and T. J. Bastow	41	Study of precipitation in aged binary Mg-Al and ternary Mg-Al-Zn alloys using ^{27}Al NMR spectroscopy
H. Gupta, R. Weinkamer, P. Fratzl and J. L. Lebowitz	53	Microscopic computer simulations of directional coarsening in face-centered cubic alloys
O. R. Myhr, Ø. Grong and S. J. Andersen	65	Modelling of the age hardening behaviour of Al-Mg-Si alloys
G.-J. Zhang, Y. Beppu and T. Ohji	77	Reaction mechanism and microstructure development of strain tolerant in situ SiC-BN composites
H. Inui, T. Hashimoto, K. Tanaka, I. Tanaka, T. Mizoguchi, H. Adachi and M. Yamaguchi	83	Defect and electronic structures in TiSi_2 thin films produced by co-sputtering. Part 1: defect analysis by transmission electron microscopy
H. H. Yu, M. Y. He and J. W. Hutchinson	93	Edge effects in thin film delamination
J. Zhang and C. Laird	109	Fracture behavior of monofilament-reinforced multicrystalline copper composites
E. Culea and I. Bratu	123	Infrared spectroscopic and magnetic behaviour of $x\text{Nd}_2\text{O}_3(1-x)\text{Na}_2\text{B}_4\text{O}_7$ glasses
A. Zimmermann, W. C. Carter and E. R. Fuller Jr	127	Damage evolution during microcracking of brittle solids
P. Jacques, Q. Furnémont, T. Pardoen and F. Delannay	139	On the role of martensitic transformation on damage and cracking resistance in TRIP-assisted multiphase steels

- | | | |
|---|-----|---|
| E. Maire, A. Owen,
J.-Y. Buffiere and
P. J. Withers | 153 | A synchrotron X-ray study of a Ti/SiC _f composite during in situ straining |
| A. Ludwig | 165 | Comparison of dendrites of a pure material with thermal alloy dendrites: an experimental method to estimate the T ₀ -temperature |
| S. Raghavan, H. Wang,
W. D. Porter,
R. B. Dinwiddie and
M. J. Mayo | 169 | Thermal properties of zirconia co-doped with trivalent and pentavalent oxides |
| R. Mathur, D. R. Sharma,
S. R. Vadera and N. Kumar | 181 | Doping of emeraldine base with the monovalent bridging iron oxalate ions and their transformation into nanostructured conducting polymer composites |

NUMBER 2

v Editorial

- | | | |
|--|-----|--|
| A. P. Roberts and
E. J. Garboczi | 189 | Elastic moduli of model random three-dimensional closed-cell cellular solids |
| C. Schuh and D. C. Dunand | 199 | Non-isothermal transformation-mismatch plasticity: modeling and experiments on Ti-6Al-4V |
| M. Winning, G. Gottstein and
L. S. Shvindlerman | 211 | Stress induced grain boundary motion |
| A. R. Akisanya, Y. Zhang,
H. W. Chandler and
R. J. Henderson | 221 | The deformation and densification of an array of metal-coated fibres |
| K. Owusu-Boahen and
A. H. King | 237 | The early stages of plastic yielding in polycrystalline gold thin films |
| S. Divinski, M. Lohmann and
Chr. Herzig | 249 | Ag grain boundary diffusion and segregation in Cu: measurements in the types <i>B</i> and <i>C</i> diffusion regimes |
| T. J. Ginter, P. K. Chaudhury
and F. A. Mohamed | 263 | An investigation of Harper-Dorn creep at large strains |
| Z. Xia, W. A. Curtin and
P. W. M. Peters | 273 | Multiscale modeling of failure in metal matrix composites |
| L. Heatherly and
E. P. George | 289 | Grain-boundary segregation of impurities in iridium and effects on mechanical properties |
| R. Bohn, T. Klassen and
R. Bormann | 299 | Room temperature mechanical behavior of silicon-doped TiAl alloys with grain-sizes in the nano- and submicron-range |
| J. Y. Uan, L. H. Chen and
T. S. Lui | 313 | On the extrusion microstructural evolution of Al-Al ₃ Ni in situ composite |

C. D. Marioara, S. J. Andersen, J. Jansen and H. W. Zandbergen	321	Atomic model for GP-zones in a 6082 Al-Mg-Si system
P. Gilormini, M. V. Nebozhyn and P. Ponte Castañeda	329	Accurate estimates for the creep behavior of hexagonal polycrystals
S. Heino and B. Karlsson	339	Cyclic deformation and fatigue behaviour of 7Mo-0.5N superaustenitic stainless steel—stress-strain relations and fatigue life
S. Heino and B. Karlsson	353	Cyclic deformation and fatigue behaviour of 7Mo-0.5N superaustenitic stainless steel—slip characteristics and development of dislocation structures
Y. H. Zhao, H. W. Sheng and K. Lu	365	Microstructure evolution and thermal properties in nanocrystalline Fe during mechanical attrition

NUMBER 3

v Editorial

D. Zang and R. B. McLellan	377	The transient diffusion in semi-infinite plates of hydrogen in metals containing trapping sites
X. Sauvage, L. Renaud, B. Deconihout, D. Blavette, D. H. Ping and K. Hono	389	Solid state amorphization in cold drawn Cu/Nb wires
K. W. Liu and F. Mücklich	395	Thermal stability of nano-RuAl produced by mechanical alloying
A. B. Pandey, B. S. Majumdar and D. B. Miracle	405	Laminated particulate-reinforced aluminum composites with improved toughness
J. -G. Li, T. Ikegami, J. -H. Lee and T. Mori	419	Characterization and sintering of nanocrystalline CeO ₂ powders synthesized by a mimic alkoxide method
A. Rohatgi, K. S. Vecchio and G. T. Gray, III	427	A metallographic and quantitative analysis of the influence of stacking fault energy on shock-hardening in Cu and Cu-Al alloys
R. P. Liu, T. Volkmann and D. M. Herlach	439	Undercooling and solidification of Si by electromagnetic levitation
M. Humbert, N. Gey, B. Gardiola and C. Esling	445	Restitution of high temperature parent textures of BCC and HCP polycrystals by a non-linear positivity method
F. Wu, P. Bellon, A. J. Melmed and T. A. Lusby	453	Forced mixing and nanoscale decomposition in ball-milled Cu-Ag characterized by APFIM

S. Y. Hu and L. Q. Chen	463	Solute segregation and coherent nucleation and growth near a dislocation—a phase-field model integrating defect and phase microstructures
K. Kitazono, R. Hirasaka, E. Sato, K. Kuribayashi and T. Motegi	473	Internal stress superplasticity in anisotropic polycrystalline materials
Hi. Schmidt, A. Schminke, M. Schmiedgen and B. Baretzky	487	Compound formation and abrasion resistance of ion-implanted Ti6Al4V
M. Kouzeli, L. Weber, C. San Marchi and A. Mortensen	497	Quantification of microdamage phenomena during tensile straining of high volume fraction particle reinforced aluminium
H. Wu, S. G. Roberts and B. Derby	507	Residual stress and subsurface damage in machined alumina and alumina/silicon carbide nanocomposite ceramics
R. A. Dorey, J. A. Yeomans, P. A. Smith and J. Pan	519	<i>In situ</i> optical dilatometric measurements of the initial stages of sintering of alumina
A. Sémoroz, Y. Durandet and M. Rappaz	529	EBSD characterization of dendrite growth directions, texture and misorientations in hot-dipped Al–Zn–Si coatings
B. -N. Kim	543	Modeling grain growth behavior inhibited by dispersed particles
G. I. Rusu, I. Căplănuș, L. Leontic, A. Airinei, E. Butuc, D. Mardare and I. I. Rusu	553	Studies on the electronic transport properties of some aromatic polysulfones in thin films

NUMBER 4

v Editorial

Y. T. Pei and J. Th. M. De Hosson	561	Five-fold branched Si particles in laser clad AlSi functionally graded materials
I. Loginova, G. Amberg and J. Ägren	573	Phase-field simulations of non-isothermal binary alloy solidification
S. Krumdieck	583	Kinetic model of low pressure film deposition from single precursor vapor in a well-mixed, cold-wall reactor
M. I. Mendeleev and D. J. Srolovitz	589	A regular solution model for impurity drag on a migrating grain boundary
J. D. Robson and P. B. Prangnell	599	Dispersoid precipitation and process modelling in zirconium containing commercial aluminium alloys

J. -H. Kim, S. -G. Kim and A. Inoue	615	<i>In situ</i> observation of solidification behavior in undercooled Pd-Cu-Ni-P alloy by using a confocal scanning laser microscope
J. Geiger, A. Roósz and P. Barkóczy	623	Simulation of grain coarsening in two dimensions by Cellular-Automaton
J. -K. Park and D. -Y. Kim	631	Discontinuous dissolution of a frozen matrix liquid phase in Ba(Zn _{1/3} Nb _{2/3})O ₃ ceramics
E. G. Gontier-Moya, J. Bernardini and F. Moya	637	Silver and platinum diffusion in alumina single crystals
A. J. Sánchez-Herencia, A. J. Millán, M. I. Nieto and R. Moreno	645	Aqueous colloidal processing of nickel powder
D. Pierre, F. Bosselet, M. Peronnet, J. C. Viala and J. Bouix	653	Chemical reactivity of iron base substrates with liquid Mg-Zr alloys
A. V. Korznikov, G. Tram, O. Dimitrov, G. F. Korznikova, S. R. Idrisova and Z. Pakiela	663	The mechanism of nanocrystalline structure formation in Ni ₃ Al during severe plastic deformation
Y. Estrin, G. Gottstein, E. Rabkin and L. S. Shvindlerman	673	Grain growth in thin metallic films
D. Dye, O. Hunziker and R. C. Reed	683	Numerical analysis of the weldability of superalloys
V. A. Snyder, J. Alkemper and P. W. Voorhees	699	Transient Ostwald ripening and the disagreement between steady-state coarsening theory and experiment
J. Takahashi and H. Suito	711	Random dispersion model of two-dimensional size distribution of second-phase particles
W. Mao, X. Zhang, C. Ji, H. Chang, B. Cheng, Y. Yang, H. Du, Y. Xue, B. Zhang, L. Wang and F. Li	721	Structural and magnetic properties of PrFe _{12-x} V _x and their nitrides
J. Jose and M. A. Khadar	729	Role of grain boundaries on the electrical properties of ZnO-Ag nanocomposites: an impedance spectroscopic study
H. Gleiter, J. Weissmüller, O. Wollersheim and R. Würschum	737	Nanocrystalline materials: a way to solids with tunable electronic structures and properties?
	747	Erratum
	749	Corrigendum

NUMBER 5

v Editorial

- | | | |
|--|-----|---|
| L. T. Zhang, K. Ito,
V. K. Vasudevan and
M. Yamaguchi | 751 | Hydrogen absorption and desorption in a B2 single-phase Ti-22Al-27Nb alloy before and after deformation |
| D. V. Alexandrov | 759 | Solidification with a quasiequilibrium two-phase zone |
| B. J. Kooi and
J. Th. M. De Hosson | 765 | In-situ TEM analysis of the reduction of nanometre-sized Mn_3O_4 precipitates in a metal matrix |
| Y. Watanabe, H. Eryu and
K. Matsuura | 775 | Evaluation of three-dimensional orientation of Al_3Ti platelet in Al-based functionally graded materials fabricated by a centrifugal casting technique |
| B. Dutta, E. J. Palmiere and
C. M. Sellars | 785 | Modelling the kinetics of strain induced precipitation in Nb microalloyed steels |
| J. R. Alvarez and P. Rez | 795 | Calculation of electronic properties of boundaries in Ni_3Al |
| F. Tietz, I. Arul Raj,
W. Jungen and D. Stöver | 803 | High-temperature superconductor materials for contact layers in solid oxide fuel cells: I. Sintering behavior and physical properties at operating temperatures |
| A. Boulle, Z. Oudjedi,
R. Guinebrière,
B. Soulestin and A. Dager | 811 | Ceramic nanocomposites obtained by sol-gel coating of submicron powders |
| P. Liu, L. Cheng and
Y. W. Zhang | 817 | Measuring interface parameters and toughness—A computational study |
| A. Hütten, G. Reiss,
W. Saikaly and G. Thomas | 827 | Origin of giant magnetoresistance in conventional $AlNiCo_5$ magnets |
| T. D. Shen and
R. B. Schwarz | 837 | Bulk ferromagnetic glasses in the Fe-Ni-P-B system |
| D. M. Elzey and
H. N. G. Wadley | 849 | The limits of solid state foaming |
| M. S. A. Karunaratne,
P. Carter and R. C. Reed | 861 | On the diffusion of aluminium and titanium in the Ni-rich Ni-Al-Ti system between 900 and 1200°C |
| R. K. N. D. Rajapakse and
X. Zeng | 877 | Toughening of conducting cracks due to domain switching |
| B. -N. Kim, K. Hiraga,
K. Morita and Y. Sakka | 887 | Superplasticity in alumina enhanced by co-dispersion of 10% zirconia and 10% spinel particles |
| J. Alkemper and
P. W. Voorhees | 897 | Three-dimensional characterization of dendritic microstructures |
| M. Göken, M. Kempf and
W. D. Nix | 903 | Hardness and modulus of the lamellar microstructure in PST-TiAl studied by nanoindentations and AFM |

- Y. Nagai, M. Murayama,
Z. Tang, T. Nonaka,
K. Hono and M. Hasegawa 913 Role of vacancy-solute complex in the initial rapid age
hardening in an Al-Cu-Mg alloy
- P. Wang, H. F. Zhang,
B. Z. Ding and Z. Q. Hu 921 Structural and hydriding properties of composite
Mg-ZrFe_{1.4}Cr_{0.6}
- S. Semboshi, N. Masahashi
and S. Hanada 927 Degradation of hydrogen absorbing capacity in cyclically
hydrogenated TiMn₂

NUMBER 6

- J.-F. Li, W. Pan, F. Sato and
R. Watanabe 937 Mechanical properties of polycrystalline Ti₃SiC₂ at ambient
and elevated temperatures
- Q. Chen and B. Sundman 947 Calculation of Debye temperature for crystalline
structures—a case study on Ti, Zr, and Hf
- K. Ito, L. T. Zhang,
V. K. Vasudevan and
M. Yamaguchi 963 Multiphase and microstructure effects on the hydrogen
absorption/desorption behavior of a Ti-22Al-27Nb alloy
- D. D. Hass, A. J. Slifka and
H. N. G. Wadley 973 Low thermal conductivity vapor deposited zirconia
microstructures
- M. Beck, M. Ellner and
E. J. Mittemeijer 985 The formation of interstitial solid solutions based on
solvents showing the FCC structure: elastic versus
chemical interaction
- R. J. Moon, K. J. Bowman,
K. P. Trumble and J. Rödel 995 Fracture resistance curve behavior of multilayered
alumina-zirconia composites produced by centrifugation
- D. J. Srolovitz and
S. H. Davis 1005 Do stresses modify wetting angles?
- V. Paidar, D. Imamura,
H. Inui and M. Yamaguchi 1009 Plastic deformation of bicrystals composed of
polysynthetically twinned TiAl crystals
- N. I. Tymiak, D. E. Kramer,
D. F. Bahr, T. J. Wyrobek
and W. W. Gerberich 1021 Plastic strain and strain gradients at very small indentation
depths
- V. S. Deshpande,
M. F. Ashby and
N. A. Fleck 1035 Foam topology bending versus stretching dominated
architectures
- J. Greiser, P. Müllner and
E. Arzt 1041 Abnormal growth of "giant" grains in silver thin films
- M. Gäumann, C. Bezençon,
P. Canalis and W. Kurz 1051 Single-crystal laser deposition of superalloys: processing-
microstructure maps
- A. Arvanitis, S. Diplas,
P. Tsakirooulos,
J. F. Watts, M. J. Whiting,
S. A. Morton and
J. A. D. Matthew 1063 An experimental study of bonding and crystal structure
modifications in MoSi₂ and MoSi₂+xAl (x=10 to 40 at%
Al) via Auger parameter shifts and charge transfer
calculations

- | | | |
|--|------|--|
| R. Yang, D. L. Zhao,
Y. M. Wang, S. Q. Wang,
H. Q. Ye and C. Y. Wang | 1079 | Effects of Cr, Mn on the cohesion of the γ -iron grain boundary |
| S. Zhang, P. G. McCormick
and Y. Estrin | 1087 | The morphology of Portevin–Le Chatelier bands: finite element simulation for Al–Mg–Si |
| M. J. Watson, M. P. Harmer,
H. M. Chan and
H. S. Caram | 1095 | Ignition phenomena and controlled firing of reaction-bonded aluminum oxide |
| S. Zaefferer, T. Baudin and
R. Penelle | 1105 | A study on the formation mechanisms of the cube recrystallization texture in cold rolled Fe–36%Ni alloys |

NUMBER 7

- | | | |
|---|------|---|
| D. Chatain, E. Rabkin,
J. Derenne and
J. Bernardini | 1123 | Role of the solid/liquid interface faceting in rapid penetration of a liquid phase along grain boundaries |
| N. Sakaguchi, S. Watanabe
and H. Takahashi | 1129 | Heterogeneous dislocation formation and solute redistribution near grain boundaries in austenitic stainless steel under electron irradiation |
| H. Sieber, J. S. Park,
J. Weissmüller and
J. H. Perepezko | 1139 | Structural evolution and phase formation in cold-rolled aluminum–nickel multilayers |
| D. F. Susan and A. R. Marder | 1153 | Ni–Al composite coatings: diffusion analysis and coating lifetime estimation |
| A. Artemev, Y. Jin and
A. G. Khachaturyan | 1165 | Three-dimensional phase field model of proper martensitic transformation |
| G. Schoeck | 1179 | The core structure of dissociated dislocations in NiAl |
| C. Kaya, F. Kaya,
A. R. Boccaccini and
K. K. Chawla | 1189 | Fabrication and characterisation of Ni-coated carbon fibre-reinforced alumina ceramic matrix composites using electrophoretic deposition |
| A. Galiyev, R. Kaibyshev
and G. Gottstein | 1199 | Correlation of plastic deformation and dynamic recrystallization in magnesium alloy ZK60 |
| I. C. Barlow, H. Jones and
W. M. Rainforth | 1209 | Evolution of microstructure and hardening, and the role of Al ₃ Ti coarsening, during extended thermal treatment in mechanically alloyed Al–Ti–O based materials |
| F. Czerwinski,
A. Zielinska-Lipiec,
P. J. Pinet and
J. Overbeeke | 1225 | Correlating the microstructure and tensile properties of a thixomolded AZ91D magnesium alloy |
| O. Engler | 1237 | Recrystallisation textures in copper-manganese alloys |

- | | | |
|--|------|---|
| J. Svoboda, F. D. Fischer,
P. Fratzl, E. Gamsjäger
and N. K. Simha | 1249 | Kinetics of interfaces during diffusional transformations |
| I. Farup, J. -M. Drezet and
M. Rappaz | 1261 | In situ observation of hot tearing formation in
succinonitrile-acetone |
| D. Dye, H. J. Stone and
R. C. Reed | 1271 | A two phase elastic-plastic self-consistent model for the
accumulation of microstrains in Waspaloy |
| D. H. Shin, I. Kim, J. Kim
and K. -T. Park | 1285 | Grain refinement mechanism during equal-channel angular
pressing of a low-carbon steel |
| H. Moon, B. -K. Kim and
S. -J. L. Kang | 1293 | Growth mechanism of round-edged NbC grains in Co
liquid |
| M. Hammer, A. Endriss,
D. C. Lupascu and
M. J. Hoffmann | 1301 | Correlation between microstructure, strain behavior, and
acoustic emission of soft PZT ceramics |

NUMBER 8

- | | | |
|--|------|---|
| L. Höglund and J. Ägren | 1311 | Analysis of the Kirkendall effect, marker migration and
pore formation |
| X. Zhang, H. Wang,
J. Narayan and C. C. Koch | 1319 | Evidence for the formation mechanism of nanoscale
microstructures in cryomilled Zn powder |
| K. B. Hyde, A. F. Norman
and P. B. Prangnell | 1327 | The effect of cooling rate on the morphology of primary
Al ₃ Sc intermetallic particles in Al-Sc alloys |
| J. P. Lokker, A. J. Böttger,
W. G. Sloof,
F. D. Tichelaar,
G. C. A. M. Janssen and
S. Radelaar | 1339 | Phase transformations in Al-Cu thin films: precipitation
and copper redistribution |
| F. Schurack, J. Eckert and
L. Schultz | 1351 | Synthesis and mechanical properties of cast quasicrystal-
reinforced Al-alloys |
| Y.-J. Chen and S. H. Davis | 1363 | Instability of triple junctions in lamellar eutectic growth |
| B.-K. Lee and S.-J. L. Kang | 1373 | Second-phase assisted formation of {111} twins in barium
titanate |
| P. D. Lee and J. D. Hunt | 1383 | Hydrogen porosity in directionally solidified aluminium-
copper alloys: a mathematical model |
| St. Frank, S. V. Divinski,
U. Södervall and
Chr. Herzig | 1399 | Ni tracer diffusion in the B2-compound NiAl: influence of
temperature and composition |

- | | | |
|--|------|---|
| O. Gillia, C. Josserond and D. Bouvard | 1413 | Viscosity of WC-Co compacts during sintering |
| B. de Boer, J. Eickemeyer, N. Reger, L. Fernandez, G.-R., J. Richter, B. Holzapfel, L. Schultz, W. Prusseit and P. Berberich | 1421 | Cube textured nickel alloy tapes as substrates for $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ -coated conductors |
| E. Rabkin, L. Klinger, T. Izyumova, A. Berner and V. Semenov | 1429 | Grain boundary grooving with simultaneous grain boundary sliding in Ni-rich NiAl |
| W. Grange, C. Ulhaq-Bouillet, M. Maret and J. Thibault | 1439 | Chemical long-range ordering in a CoPt alloy film grown by molecular beam epitaxy |
| C. Huang, E. B. Hawbolt, X. Chen, T. R. Meadowcroft and D. K. Matlock | 1445 | Flow stress modeling and warm rolling simulation behavior of two Ti-Nb interstitial-free steels in the ferrite region |
| P. Bate | 1453 | The effect of deformation on grain growth in Zener pinned systems |
| G. Wen, S. B. Li, B. S. Zhang and Z. X. Guo | 1463 | Reaction synthesis of TiB_2 -TiC composites with enhanced toughness |
| G. Jiang, G. S. Daehn, J. J. Lannutti, Y. Fu and R. H. Wagoner | 1471 | Effects of lubrication and aspect ratio on the consolidation of metal matrix composites under cyclic pressure |
| W. Pantleon and N. Hansen | 1479 | Dislocation boundaries—the distribution function of disorientation angles |
| | 1495 | Erratum |

NUMBER 9

v Announcement

- | | | |
|---|------|---|
| J. Y. Huang, Y. T. Zhu, H. Jiang and T. C. Lowe | 1497 | Microstructures and dislocation configurations in nanostructured Cu processed by repetitive corrugation and straightening |
| F. Szeucs, C. P. Kim and W. L. Johnson | 1507 | Mechanical properties of $\text{Zr}_{56.2}\text{Ti}_{13.8}\text{Nb}_{5.0}\text{Cu}_{6.9}\text{Ni}_{5.6}\text{Be}_{12.5}$ ductile phase reinforced bulk metallic glass composite |
| E. P. Busso, J. Lin, S. Sakurai and M. Nakayama | 1515 | A mechanistic study of oxidation-induced degradation in a plasma-sprayed thermal barrier coating system. Part I: model formulation |
| E. P. Busso, J. Lin and S. Sakurai | 1529 | A mechanistic study of oxidation-induced degradation in a plasma-sprayed thermal barrier coating system. Part II: life prediction model |

- | | | |
|---|------|--|
| K. Han, J. P. Hirth and
J. D. Embury | 1537 | Modeling the formation of twins and stacking faults in the Ag-Cu system |
| H. Rösner, P. Schloßmacher,
A. V. Shelyakov and
A. M. Glezer | 1541 | The influence of coherent TiCu plate-like precipitates on the thermoelastic martensitic transformation in melt-spun Ti ₅₀ Ni ₂₅ Cu ₂₅ shape memory alloys |
| C. M. Allen,
K. A. Q. O'Reilly and
B. Cantor | 1549 | Effect of semisolid microstructure on solidified phase content in 1xxx Al alloys |
| J. A. Thompson and
T. W. Clyne | 1565 | The effect of heat treatment on the stiffness of zirconia top coats in plasma-sprayed TBCs |
| J. M. Ambrico, M. R. Begley
and E. H. Jordan | 1577 | Stress and shape evolution of irregularities in oxide films on elastic-plastic substrates due to thermal cycling and film growth |
| V. Y. Gertsman and
S. M. Bruemmer | 1589 | Study of grain boundary character along intergranular stress corrosion crack paths in austenitic alloys |
| T. C. Wang, Y. W. Zhang and
S. J. Chua | 1599 | Dislocation evolution in epitaxial multilayers and graded composition buffers |
| B. Peeters, M. Seefeldt,
C. Teodosiu,
S. R. Kalidindi,
P. Van Houtte and
E. Aernoudt | 1607 | Work-hardening/softening behaviour of B.C.C. polycrystals during changing strain paths: I. An integrated model based on substructure and texture evolution, and its prediction of the stress-strain behaviour of an IF steel during two-stage strain paths |
| B. Peeters, B. Bacroix,
C. Teodosiu, P. Van Houtte
and E. Aernoudt | 1621 | Work-hardening/softening behaviour of B.C.C. polycrystals during changing strain paths: II. TEM observations of dislocation sheets in an IF steel during two-stage strain paths and their representation in terms of dislocation densities |
| Z. H. Xia and W. A. Curtin | 1633 | Life prediction of titanium MMCs under low-cycle fatigue |
| Y. Song, Z. X. Guo, R. Yang
and D. Li | 1647 | First principles study of site substitution of ternary elements in NiAl |
| H. de Monestrol,
L. Schmirgeld-Mignot,
P. J. A. Molinàs-Mata,
S. Poissonnet and
G. Martin | 1655 | Kinetics and mechanisms of reactive solid state dewetting in the system Ag-Ni-O |
| A. J. Allen, J. Ilavsky,
G. G. Long, J. S. Wallace,
C. C. Berndt and
H. Herman | 1661 | Microstructural characterization of yttria-stabilized zirconia plasma-sprayed deposits using multiple small-angle neutron scattering |
| A. E. Markaki and
T. W. Clyne | 1677 | The effect of cell wall microstructure on the deformation and fracture of aluminium-based foams |

NUMBER 10

- R. Botten, X. Wu, D. Hu and M. H. Loretto 1687 The significance of acoustic emission during stressing of TiAl-based alloys. Part I: detection of cracking during loading up in tension
- X. Wu, D. Hu, R. Botten and M. H. Loretto 1693 The significance of acoustic emission during stressing of TiAl-based alloys. Part 2: influence of cracks induced by pre-stressing on the fatigue life
- O. Engler, X. W. Kong and K. Lücke 1701 Recrystallisation textures of particle-containing Al-Cu and Al-Mn single crystals
- R. S. Sundar, K. Kitazono, E. Sato and K. Kuribayashi 1717 Internal stress superplasticity in the NiAl-Mo eutectic alloy
- T. J. Balk, M. Kumar and K. J. Hemker 1725 Influence of Fe substitutions on the deformation behavior and fault energies of Ni₃Ge-Fe₃Ge L1₂ intermetallic alloys
- A. Otsuki 1737 Energies of (001) twist grain boundaries in silicon
- M. Backhaus-Ricoult 1747 Wetting anisotropy and oxygen activity dependency for oxides by liquid transition metals studied through shape changes of liquid Cu inclusions within MgO
- I. Samajdar, P. Ratchev, B. Verlinden and E. Aernoudt 1759 Hot working of AA1050—relating the microstructural and textural developments
- P. H. Leo and W. C. Johnson 1771 Spinodal decomposition and coarsening of stressed thin films on compliant substrates
- S. Sarkar and C. Bansal 1789 Kinetic paths for B2 order in nanocrystalline FeCo-Mo: a Mössbauer spectroscopic study
- A. M. Karlsson and A. G. Evans 1793 A numerical model for the cyclic instability of thermally grown oxides in thermal barrier systems
- C. S. Pande and A. K. Rajagopal 1805 Uniqueness and self similarity of size distributions in grain growth and coarsening
- G. Shi, H. V. Atkinson, C. M. Sellars, C. W. Anderson and J. R. Yates 1813 Computer simulation of the estimation of the maximum inclusion size in clean steels by the generalized Pareto distribution method
- A. I. Salimon, A. M. Korsunsky, E. V. Shelekhov, T. A. Sviridova, S. D. Kaloshkin, V. S. Tcherdyntsev and Yu. V. Baldokhin 1821 Crystallochemical aspects of solid state reactions in mechanically alloyed Al-Cu-Fe quasicrystalline powders
- T. Hoc, C. Rey and J. L. Raphanel 1835 Experimental and numerical analysis of localization during sequential test for an IF-Ti steel

- | | | |
|---|------|--|
| Y. U. Wang, Y. M. Jin,
A. M. Cuitiño and
A. G. Khachaturyan | 1847 | Nanoscale phase field microelasticity theory of dislocations: model and 3D simulations |
| V. S. Deshpande and
N. A. Fleck | 1859 | Multi-axial yield behaviour of polymer foams |
| M. A. Easton and
D. H. StJohn | 1867 | A model of grain refinement incorporating alloy constitution and potency of heterogeneous nucleant particles |

NUMBER 11

- | | | |
|--|------|---|
| S. Y. Hu and L. Q. Chen | 1879 | A phase-field model for evolving microstructures with strong elastic inhomogeneity |
| S. Kobayashi, K. Nakai and
Y. Ohmori | 1891 | Isothermal decomposition of δ -ferrite in a 25Cr—7Ni—0.14N stainless steel |
| C. Li, S. Ranganathan and
A. Inoue | 1903 | Initial crystallization processes of Hf—Cu—M (M=Pt, Pd or Ag) amorphous alloys |
| E. A. Marquis and
D. N. Seidman | 1909 | Nanoscale structural evolution of Al ₃ Sc precipitates in Al(Sc) alloys |
| T. Matsunaga, S. Kajiura,
K. Ogawa, T. Kikuchi and
S. Miyazaki | 1921 | Internal structures and shape memory properties of sputter-deposited thin films of a Ti—Ni—Cu alloy |
| T. Zakroczyński, J. Flis,
N. Lukowski and
J. Mankowski | 1929 | Entry, transport and absorption of hydrogen in low-temperature plasma nitrided austenitic stainless steel |
| Z.-Y. Deng, T. Fukasawa,
M. Ando, G.-J. Zhang and
T. Ohji | 1939 | Bulk alumina support with high tolerant strain and its reinforcing mechanisms |
| K. Nagashio and
K. Kuribayashi | 1947 | Rapid solidification of Y ₃ Al ₅ O ₁₂ garnet from hypercooled melt |
| M. A. Aramendía, V. Borau,
C. Jiménez, J. M. Marinas,
F. J. Romero and
F. J. Urbano | 1957 | Effect of platinum salts on mesoporous silica materials synthesized via a non-ionic surfactant templating route |
| N. Ravishanker and
C. B. Carter | 1963 | Migration of alumina grain boundaries containing a thin glass film |
| T. Pretorius and E. Nembach | 1971 | Strengthening of an L1 ₂ -ordered γ' -intermetallic by disordered γ -particles. Part I: computer simulations |
| T. Pretorius, D. Baither and
E. Nembach | 1981 | Strengthening of an L1 ₂ -ordered γ' -intermetallic by disordered γ -particles. Part II: measurements of the CRSS and TEM observations of dislocation processes in Ni ₆₉ Co ₉ Al ₁₈ Ti ₄ |

- | | | |
|--|------|---|
| I. Arul Raj, F. Tietz,
A. Gupta, W. Jungen and
D. Stöver | 1987 | High-temperature superconductor materials for contact layers in solid oxide fuel cells: II. Chemical properties at operating temperatures |
| J. Matejcek and S. Sampath | 1993 | Intrinsic residual stresses in single splats produced by thermal spray processes |
| Z. Shan and A. M. Gokhale | 2001 | Micromechanics of complex three-dimensional microstructures |
| G. S. Daehn | 2017 | Modeling thermally activated deformation with a variety of obstacles, and its application to creep transients |
| H. Watanabe, T. Mukai,
M. Mabuchi and K. Higashi | 2027 | Superplastic deformation mechanism in powder metallurgy magnesium alloys and composites |
| C. C. Fulton and H. Gao | 2039 | Microstructural modeling of ferroelectric fracture |
| L. Babout, E. Maire,
J. Y. Buffière and
R. Fougères | 2055 | Characterization by X-ray computed tomography of decohesion, porosity growth and coalescence in model metal matrix composites |
| J. E. Flinn, D. P. Field,
G. E. Korth, T. M. Lillo
and J. Macheret | 2065 | The flow stress behavior of OFHC polycrystalline copper |
| E. Suvaci, K.-S. Oh and
G. L. Messing | 2075 | Kinetics of template growth in alumina during the process of templated grain growth (TGG) |
| R. A. Vandermeer and
D. Juul Jensen | 2083 | Microstructural path and temperature dependence of recrystallization in commercial aluminum |
| F. Boakye, K. G. Adanu and
R. K. Nkum | 2095 | The anomalous low temperature resistivity and critical scattering of conduction electrons around the Néel point of α -Mn films containing dilute concentration of Ni |
| S. K. Arora, T. R. Trivedi,
A. T. Oza and V. A. Patel | 2103 | IR spectroscopy of barium hydrogen phosphate |
| L. P. Ferroni, G. Pezzotti,
T. Isshiki and H.-J. Kleebe | 2109 | Determination of amorphous interfacial phases in $\text{Al}_2\text{O}_3/\text{SiC}$ nanocomposites by computer-aided high-resolution electron microscopy |

NUMBER 12

- | | | |
|---|------|--|
| J.-H. Shim, Y.-J. Oh,
J.-Y. Suh, Y. W. Cho,
J.-D. Shim, J.-S. Byun and
D. N. Lee | 2115 | Ferrite nucleation potency of non-metallic inclusions in medium carbon steels |
| M. Hätestrand and
H.-O. André | 2123 | Influence of strain on precipitation reactions during creep of an advanced 9% chromium steel |
| M. Seefeldt, L. Delannay,
B. Peeters, E. Aernoudt and
P. Van Houtte | 2129 | Modelling the initial stage of grain subdivision with the help of a coupled substructure and texture evolution algorithm |

- S. P. Baker, A. Kretschmann and E. Arzt 2145 Thermomechanical behavior of different texture components in Cu thin films
- S. Onaka, A. Madgwick and T. Mori 2161 Kinetics of diffusional creep discussed by energy dissipation and effect of grain-size distribution on the rate equations
- M. Svetina, L. Colombi Ciacchi, O. Sbaizero, S. Meriani and A. De Vita 2169 Deposition of calcium ions on rutile (110): a first-principles investigation
- S. Carlsson and P.-L. Larsson 2179 On the determination of residual stress and strain fields by sharp indentation testing. Part I: theoretical and numerical analysis
- S. Carlsson and P.-L. Larsson 2193 On the determination of residual stress and strain fields by sharp indentation testing. Part II: experimental investigation
- A. M. Mullis and R. F. Cochrane 2205 A phase field model for spontaneous grain refinement in deeply undercooled metallic melts
- L. Pang and K. S. Kumar 2215 Complex faults in a B2 iron aluminide alloy
- S. M. Schlögl, J. Svoboda and E. Van der Giessen 2227 Evolution of the methane pressure in a standard 2.25Cr-1Mo steel during hydrogen attack
- I. Charit and A. H. Chokshi 2239 Experimental evidence for diffusion creep in the superplastic 3 mol.% yttria-stabilized tetragonal zirconia
- N. P. Padture, K. W. Schlichting, T. Bhatia, A. Ozturk, B. Cetegen, E. H. Jordan, M. Gell, S. Jiang, T. D. Xiao, P. R. Strutt, E. García, P. Miranzo and M. I. Osendi 2251 Towards durable thermal barrier coatings with novel microstructures deposited by solution-precursor plasma spray
- M. T. Pérez-Prado, G. González-Doncel, O. A. Ruano and T. R. McNelley 2259 Texture analysis of the transition from slip to grain boundary sliding in a discontinuously recrystallized superplastic aluminum alloy
- H. Iwasaki, M. Mabuchi and K. Higashi 2269 Plastic cavity growth during superplastic flow in AA 7475 Al alloy containing a small amount of liquid
- J. M. Albuquerque, M. P. Harmer and Y. T. Chou 2277 Tensile superplastic deformation of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ high- T_c superconductors
- A. W. Zhu and E. A. Starke Jr. 2285 Stress aging of Al-xCu alloys: experiments
- S. Ram 2297 Self-confined dimension of thermodynamic stability in Co-nanoparticles in fcc and bcc allotropes with a thin amorphous Al_2O_3 surface layer

- | | | |
|--|------|---|
| Y. M. Jin, A. Artemev and
A. G. Khachaturyan | 2309 | Three-dimensional phase field model of low-symmetry martensitic transformation in polycrystal: simulation of ζ'_2 martensite in AuCd alloys |
| T. Mizoguchi, I. Tanaka,
M. Mizuno, H. Adachi,
T. Hashimoto, H. Inui and
M. Yamaguchi | 2321 | Defect and electronic structure of TiSi_2 thin films produced by co-sputterings. Part II: chemical bonding and electron energy-loss near-edge structures |
| D. R. Mumm, A. G. Evans
and I. T. Spitsberg | 2329 | Characterization of a cyclic displacement instability for a thermally grown oxide in a thermal barrier system |
| Y. H. Wen, L. Q. Chen,
P. M. Hazzledine and
Y. Wang | 2341 | A three-dimensional phase-field model for computer simulation of lamellar structure formation in γTiAl intermetallic alloys |

2355 Erratum

NUMBER 13

- | | | |
|---|------|---|
| M. I. Baskes and
R. G. Hoagland | 2357 | Dislocation core structures and mobilities in MoSi_2 |
| V. Weihnacht and
W. Brückner | 2365 | Dislocation accumulation and strengthening in Cu thin films |
| B. Srinivasa Rao and
V. Jayaram | 2373 | Pressureless infiltration of Al-Mg based alloys into Al_2O_3 preforms: mechanisms and phenomenology |
| D. H. Shin, Y.-S. Kim and
E. J. Lavernia | 2387 | Formation of fine cementite precipitates by static annealing of equal-channel angular pressed low-carbon steels |
| D. Weiss, H. Gao and E. Arzt | 2395 | Constrained diffusional creep in UHV-produced copper thin films |
| V. Mohles and E. Nembach | 2405 | The peak- and overaged states of particle strengthened materials: computer simulations |
| I. Lucks, P. Lamparter and
E. J. Mittemeijer | 2419 | Uptake of iron, oxygen and nitrogen in molybdenum during ball milling |
| A. Godfrey, D. Juul Jensen
and N. Hansen | 2429 | Recrystallisation of channel die deformed single crystals of typical rolling orientations |
| L. Delannay, O. V. Mishin,
D. Juul Jensen and
P. van Houtte | 2441 | Quantitative analysis of grain subdivision in cold rolled aluminium |
| H.-C. Ha, H. M. Chan and
H. F. Nied | 2453 | Hertzian contact behavior of alumina-based trilayer composites: experimental observation and FEM analysis |
| C. Motz and R. Pippan | 2463 | Deformation behaviour of closed-cell aluminium foams in tension |

- | | | |
|--|------|--|
| S. Harjo, Y. Tomota,
P. Lukáš, D. Neov,
M. Vrána, P. Mikula and
M. Ono | 2471 | In situ neutron diffraction study of α - γ Fe-Cr-Ni alloys under tensile deformation |
| K. H. Prakash and
T. Sriharan | 2481 | Interface reaction between copper and molten tin-lead solders |
| M. Hillert | 2491 | A model-based continuum treatment of ordering and spinodal decomposition |
| M. Rettenmayr,
O. Warkentin, M. Rappaz
and H. E. Exner | 2499 | Simulation of solutal remelting |
| P. R. Rios and G. Gottstein | 2511 | Texture evolution during normal and abnormal grain growth in an Al-1 wt% Mn alloy |
| S. G. Protasova, G. Gottstein,
D. A. Molodov,
V. G. Sursaeva and
L. S. Shvindlerman | 2519 | Triple junction motion in aluminum tricrystals |
| K. M. Flores and
R. H. Dauskardt | 2527 | Mean stress effects on flow localization and failure in a bulk metallic glass |
| S. Gu, T. J. Lu, D. D. Hass
and H. N. G. Wadley | 2539 | Thermal conductivity of zirconia coatings with zig-zag pore microstructures |
| F. Pettinari, M. Prem,
G. Krexner, P. Caron,
A. Coujou,
H. O. K. Kirchner and
N. Clément | 2549 | Local order in industrial and model γ phases of superalloys |
| K. Nagashio, K. Kuribayashi
and Y. Shiohara | 2557 | Direct growth of $\text{REBa}_2\text{Cu}_3\text{O}_{7-\delta}$ (RE=Yb, Er, Y, Dy, Eu, Sm, Nd and Pr) from undercooled melt using aero-acoustic levitator |
| H.-H. Fu, D. J. Benson and
M. A. Meyers | 2567 | Analytical and computational description of effect of grain size on yield stress of metals |
| K.-H. Kim and D. N. Lee | 2583 | Analysis of deformation textures of asymmetrically rolled aluminum sheets |
| R.-Y. Yang, M.-H. Lin and
H.-Y. Lu | 2597 | Core-shell structures in pressureless-sintered undoped $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3$ ceramics |

NUMBER 14

- | | | |
|----------|------|---|
| G. Ghosh | 2609 | Dissolution and interfacial reactions of thin-film Ti/Ni/Ag metallizations in solder joints |
|----------|------|---|

- | | | |
|---|------|---|
| M. Maxelon, A. Pundt,
W. Pyckhout-Hintzen,
J. Barker and R. Kirchheim | 2625 | Interaction of hydrogen and deuterium with dislocations in palladium as observed by small angle neutron scattering |
| H. Y. Kim and K. Maruyama | 2635 | Parallel twinning during creep deformation in soft orientation PST crystal of TiAl alloy |
| A. Inoue, W. Zhang,
T. Zhang and K. Kurosaka | 2645 | High-strength Cu-based bulk glassy alloys in Cu-Zr-Ti and Cu-Hf-Ti ternary systems |
| A. W. Wilson and
J. M. Howe | 2653 | Effect of alloying additions on β' precipitation in NiAl-Ti base alloys |
| Y. Le Bouar | 2661 | Atomistic study of the coherency loss during the b.c.c.-9R transformation of small copper precipitates in ferritic steels |
| G. B. Schaffer, S. H. Huo,
J. Drennan and
G. J. Auchterlonie | 2671 | The effect of trace elements on the sintering of an Al-Zn-Mg-Cu alloy |
| Y. Le Bouar and A. Loiseau | 2679 | Strain-induced microstructure development due to a wetting phenomenon in the Co-Pt system |
| C. K. Ullal,
K. R. Balasubramaniam,
A. S. Gandhi and
V. Jayaram | 2691 | Non-equilibrium phase synthesis in Al_2O_3 - Y_2O_3 by spray pyrolysis of nitrate precursors |
| L. Bourgeois, B. C. Muddle
and J. F. Nie | 2701 | The crystal structure of the equilibrium Φ phase in Mg-Zn-Al casting alloys |
| V. Yamakov, D. Wolf,
M. Salazar, S. R. Phillpot
and H. Gleiter | 2713 | Length-scale effects in the nucleation of extended dislocations in nanocrystalline Al by molecular-dynamics simulation |
| R. A. Lebensohn | 2723 | N-site modeling of a 3D viscoplastic polycrystal using Fast Fourier Transform |
| A. Duckham, R. D. Knutsen
and O. Engler | 2739 | Influence of deformation variables on the formation of copper-type shear bands in Al-1Mg |
| S. L. dos Santos e Lucato,
D. C. Lupascu, M. Kamlah,
J. Rödel and C. S. Lynch | 2751 | Constraint-induced crack initiation at electrode edges in piezoelectric ceramics |
| P. H. Leo, J. S. Lowengrub
and Q. Nie | 2761 | On an elastically induced splitting instability |
| J. Schroers, Y. Wu, R. Busch
and W. L. Johnson | 2773 | Transition from nucleation controlled to growth controlled crystallization in $\text{Pd}_{43}\text{Ni}_{10}\text{Cu}_{27}\text{P}_{20}$ melts |

- | | | |
|---|------|---|
| C. L. Jia, M. Siegert and
K. Urban | 2783 | The structure of the interface between BaTiO ₃ thin films and MgO substrates |
| M. J. Worswick, Z. T. Chen,
A. K. Pilkey, D. Lloyd and
S. Court | 2791 | Damage characterization and damage percolation modelling in aluminum alloy sheet |
| S. Solinas, G. Piccaluga,
M. P. Morales and
C. J. Serna | 2805 | Sol-gel formation of γ -Fe ₂ O ₃ /SiO ₂ nanocomposites |
| G. Lucadamo, K. Barmak,
D. T. Carpenter and
J. M. Rickman | 2813 | Microstructure evolution during solid state reactions of Nb/Al multilayers |
| C. R. Hutchinson, X. Fan,
S. J. Pennycook and
G. J. Shiflet | 2827 | On the origin of the high coarsening resistance of Ω plates in Al-Cu-Mg-Ag Alloys |
| M. I. Mendelev and
D. J. Srolovitz | 2843 | Kink model for extended defect migration in the presence of diffusing impurities: theory and simulation |
| Y. Huang, M. J. Aziz,
J. W. Hutchinson,
A. G. Evans, R. Saha and
W. D. Nix | 2853 | Comparison of mechanical properties of Ni ₃ Al thin films in disordered FCC and ordered L1 ₂ phases |

NUMBER 15

- | | | |
|---|------|--|
| S. P. Lynch, B. C. Muddle
and T. Pasang | 2863 | Ductile-to-brittle fracture transitions in 8090 Al-Li alloys |
| Z. F. Zhang, Z. G. Wang and
Z. M. Sun | 2875 | Evolution and microstructural characteristics of deformation bands in fatigued copper single crystals |
| T. G. Nieh, J. Wadsworth,
C. T. Liu, T. Ohkubo and
Y. Hirotsu | 2887 | Plasticity and structural instability in a bulk metallic glass deformed in the supercooled liquid region |
| J. Zhong, L. H. Zhang,
Z. H. Jin, M. L. Sui and
K. Lu | 2897 | Superheating of Ag nanoparticles embedded in Ni matrix |
| M. T. Pérez-Prado,
J. A. Hines and
K. S. Vecchio | 2905 | Microstructural evolution in adiabatic shear bands in Ta and Ta-W alloys |
| F. Stein, L. C. Zhang,
G. Sauthoff and M. Palm | 2919 | TEM and DTA study on the stability of Al ₅ Ti ₃ - and h-Al ₂ Ti-superstructures in aluminium-rich TiAl alloys |
| Z. G. Ban and L. L. Shaw | 2933 | On the reaction sequence of WC-Co formation using an integrated mechanical and thermal activation process |

- P. Klugkist, A. N. Aleshin, W. Lojkowski, L. S. Shvindlerman, W. Gust and E. J. Mittemeijer 2941 Diffusion of Zn along tilt grain boundaries in Al: pressure and orientation dependence
- C. Elsässer and A. G. Marinopoulos 2951 Substitutional cation impurities in α - Al_2O_3 : ab-initio case study of segregation to the rhombohedral twin boundary
- W. Zhang and G. Subhash 2961 Finite element analysis of interacting Vickers indentations on brittle materials
- E. W. Andrews and L. J. Gibson 2975 The influence of cracks, notches and holes on the tensile strength of cellular solids
- E. A. Holm, G. N. Hassold and M. A. Miodownik 2981 On misorientation distribution evolution during anisotropic grain growth
- J. K. Shang and X. Tan 2993 Indentation-induced domain switching in $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - PbTiO_3 crystal
- J. X. Zhang, M. Sato and A. Ishida 3001 Structure of martensite in sputter-deposited Ti-Ni thin films containing Guinier-Preston zones
- Y. G. Li, M. H. Loretto, D. Rugg and W. Voice 3011 Effect of heat treatment and exposure on microstructure and mechanical properties of Ti-25V-15Cr-2Al-0.2C (wt%)
- S. Yamaura, Y. Furuya and T. Watanabe 3019 The effect of grain boundary microstructure on Barkhausen noise in ferromagnetic materials
- N. Tsuchida, Y. Tomota, H. Moriya, O. Umezawa and K. Nagai 3029 Application of the Kocks-Mecking model to tensile deformation of an austenitic 25Cr-19Ni steel
- M. Huang, Z. Suo and Q. Ma 3039 Metal film crawling in interconnect structures caused by cyclic temperatures
- K. Kashihara and F. Inoko 3051 Effect of piled-up dislocations on strain induced boundary migration (SIBM) in deformed aluminum bicrystals with originally $\Sigma 3$ twin boundary
- A. W. Zhu and E. A. Starke, Jr 3063 Stress aging of Al-Cu alloys: computer modeling
- A. A. Benzerga, S. S. Hong, K. S. Kim, A. Needleman and E. Van der Giessen 3071 Smaller is softer: an inverse size effect in a cast aluminum alloy
- C. N. Tomé, P. J. Maudlin, R. A. Lebensohn and G. C. Kaschner 3085 Mechanical response of zirconium—I. Derivation of a polycrystal constitutive law and finite element analysis
- G. C. Kaschner, J. F. Bingert, C. Liu, M. L. Lovato, P. J. Maudlin, M. G. Stout and C. N. Tomé 3097 Mechanical response of zirconium—II. Experimental and finite element analysis of bent beams

- A. R. de Arellano-López,
U. Balachandran,
K. C. Goretta, B. Ma and
J. L. Routbort
- 3109 High-temperature deformation of $\text{Sr}(\text{FeCo})_{1.5}\text{O}_x$ ceramics

NUMBER 16

- F. Boey, L. Cao, K. A. Khor
and A. Tok
- 3117 Phase reaction and sintering behavior of a Al_2O_3 -20wt%AlN-5wt% Y_2O_3 system
- C. Wolverton
- 3129 Crystal structure and stability of complex precipitate phases in Al-Cu-Mg-(Si) and Al-Zn-Mg alloys
- Q. Jiang, D. S. Zhao and
M. Zhao
- 3143 Size-dependent interface energy and related interface stress
- Y. Ohmori, Y.-C. Jung,
K. Nakai and H. Shioiri
- 3149 Bainite transformation and the diffusional migration of bainite/austenite broad interfaces in Fe-9%Ni-C alloys
- R. Ding and Z. X. Guo
- 3163 Coupled quantitative simulation of microstructural evolution and plastic flow during dynamic recrystallization
- A. Zimmermann,
M. Hoffman, T. Emmel,
D. Gross and J. Rödel
- 3177 Failure of metal-ceramic composites with spherical inclusions
- V. S. Deshpande,
A. Needleman and
E. Van der Giessen
- 3189 A discrete dislocation analysis of near-threshold fatigue crack growth
- K. Gall, K. Juntunen,
H. J. Maier, H. Schitoglu
and Y. I. Chumlyakov
- 3205 Instrumented micro-indentation of NiTi shape-memory alloys
- Y.-L. Shen, J. J. Williams,
G. Piotrowski, N. Chawla
and Y. L. Guo
- 3219 Correlation between tensile and indentation behavior of particle-reinforced metal matrix composites: an experimental and numerical study
- M. H. Zimmerman,
D. M. Baskin, K. T. Faber,
E. R. Fuller Jr., A. J. Allen
and D. T. Keane
- 3231 Fracture of a textured anisotropic ceramic
- L. M. Tham, M. Gupta and
L. Cheng
- 3243 Effect of limited matrix-reinforcement interfacial reaction on enhancing the mechanical properties of aluminium-silicon carbide composites
- D. C. Pender, N. P. Padture,
A. E. Giannakopoulos and
S. Suresh
- 3255 Gradients in elastic modulus for improved contact-damage resistance. Part I: The silicon nitride-oxynitride glass system
- D. C. Pender,
S. C. Thompson,
N. P. Padture,
A. E. Giannakopoulos and
S. Suresh
- 3263 Gradients in elastic modulus for improved contact-damage resistance. Part II: The silicon nitride-silicon carbide system

- | | | |
|--|------|---|
| E. H. Lee, T. S. Byun,
J. D. Hunn, M. H. Yoo,
K. Farrell and
L. K. Mansur | 3269 | On the origin of deformation microstructures in austenitic stainless steel: Part I—Microstructures |
| E. H. Lee, M. H. Yoo,
T. S. Byun, J. D. Hunn,
K. Farrell and
L. K. Mansur | 3277 | On the origin of deformation microstructures in austenitic stainless steel: Part II—Mechanisms |
| A. Peláiz Barranco,
F. Calderón Piñar, O. Pérez
Martínez, E. Torres García
and A. Huanosta-Tera | 3289 | A.C. conductivity behavior of a hot pressed [PbTiO ₃ -PbZrO ₃ -PbCuNbO ₃] ferroelectric ceramic |
| P.-R. Cha, D.-H. Yeon and
J.-K. Yoon | 3295 | A phase field model for isothermal solidification of multicomponent alloys |
| C. Kumara Gurumurthy,
E. J. Kramer and C.-Y. Hui | 3309 | Hydro-thermal fatigue of polymer interfaces |
| Y. G. Yang, X. W. Zhou,
R. A. Johnson and
H. N. G. Wadley | 3321 | Monte Carlo simulation of hyperthermal physical vapor deposition |
| D. C. Pham | 3333 | Effective medium models for conductivity of randomly cracked locally non-homogeneous materials |
| W.-J. Kim, S. W. Chung,
C. S. Chung and D. Kum | 3337 | Superplasticity in thin magnesium alloy sheets and deformation mechanism maps for magnesium alloys at elevated temperatures |
| W. C. Liu, D. Juul Jensen and
J. G. Morris | 3347 | Effect of grain orientation on microstructures during hot deformation of AA 3104 aluminium alloy by plane strain compression |
| J. A. Pfaendtner and
C. J. McMahon Jr. | 3369 | Oxygen-induced intergranular cracking of a Ni-base alloy at elevated temperatures—an example of dynamic embrittlement |
| H. Miura, K. Kotani and
T. Sakai | 3379 | Temperature dependency of cyclic deformation behavior of Cu-SiO ₂ single crystal |

NUMBER 17

- | | | |
|---|------|--|
| C. Schuh and D. C. Dunand | 3387 | Internal stress plasticity due to chemical stresses |
| K. Wu, J. E. Morral and
Y. Wang | 3401 | A phase field study of microstructural changes due to the Kirkendall effect in two-phase diffusion couples |
| J. Banhart, D. Bellmann and
H. Clemens | 3409 | Investigation of metal foam formation by microscopy and ultra small-angle neutron scattering |

- | | | |
|--|------|--|
| M. Ueda, H. Y. Yasuda and
Y. Umakoshi | 3421 | Effect of grain boundary character on the martensitic transformation in Fe-32at.%Ni bicrystals |
| D. Raabe, M. Sachtleber,
Z. Zhao, F. Roters and
S. Zaefferer | 3433 | Micromechanical and macromechanical effects in grain scale polycrystal plasticity experimentation and simulation |
| L. K. Berg, J. Gjønnnes,
V. Hansen, X. Z. Li,
M. Knutson-Wedel,
G. Waterloo, D. Schryvers
and L. R. Wallenberg | 3443 | GP-zones in Al-Zn-Mg alloys and their role in artificial aging |
| B. S. Murty, D. H. Ping,
M. Ohnuma and K. Hono | 3453 | Nanoquasicrystalline phase formation in binary Zr-Pd and Zr-Pt alloys |
| W. C. Johnson | 3463 | Spinodal decomposition in a small radially stressed sphere |
| T. Ikeda, H. Kadowaki and
H. Nakajima | 3475 | Diffusion of ^{44}Ti and ^{63}Ni in TiAl single crystal |
| M. G. Hall, T. Furuhashi,
H. I. Aaronson and
J. P. Hirth | 3487 | On misfit-compensating ledges/disconnections |
| M. J. Murtagh, J. Hulvat,
R. Dieckmann and
S. L. Sass | 3493 | Impurity controlled phase formation at platinum-sapphire interfaces |
| C. González and J. Llorca | 3505 | Micromechanical modelling of deformation and failure in Ti-6Al-4V/SiC composites |
| D. Moldovan, D. Wolf and
S. R. Phillpot | 3521 | Theory of diffusion-accommodated grain rotation in columnar polycrystalline microstructures |
| G. Palasantzas and
J. Th. M. de Hosson | 3533 | Wetting on rough surfaces |
| K. Zeng and C.-h. Chiu | 3539 | An analysis of load-penetration curves from instrumented indentation |
| G. R. Sarrafi-Nour and
T. W. Coyle | 3553 | Temperature dependence of crack wake bridging stresses in a SiC-whisker-reinforced alumina |
| S. L. Semiatin and
T. R. Bieler | 3565 | The effect of alpha platelet thickness on plastic flow during hot working of Ti-6Al-4V with a transformed microstructure |
| A. Arya, S. Banerjee,
G. P. Das, I. Dasgupta,
T. Saha-Dasgupta and
A. Mookerjee | 3575 | A first-principles thermodynamic approach to ordering in Ni-Mo alloys |

- | | | |
|---|------|--|
| S. Testu, T. Rouxel and
J.-L. Besson | 3589 | Tensile behaviour of gas pressure sintered silicon nitride in the 1600–1700°C temperature range |
| M. J. Kobrinsky, G. Dehm,
C. V. Thompson and
E. Arzt | 3597 | Effects of thickness on the characteristic length scale of dislocation plasticity in Ag thin films |
| H. Schitoglu, J. Jun,
X. Zhang, I. Karaman,
Y. Chumlyakov,
H. J. Maier and K. Gall | 3609 | Shape memory and pseudoelastic behavior of 51.5%Ni–Ti single crystals in solutionized and overaged state |
| H. Schitoglu, I. Karaman,
X. Zhang, A. Viswanath,
Y. Chumlyakov and
H. J. Maier | 3621 | Strain–temperature behavior of NiTiCu shape memory single crystals |
| P. E. Di Nunzio | 3635 | A discrete approach to grain growth based on pair interactions |
| | 3645 | Erratum |

NUMBER 18

- | | | |
|--|------|--|
| D. Häussler, M. Bartsch,
U. Messerschmidt and
B. Reppich | 3647 | HVTEM <i>in situ</i> observations of dislocation motion in the oxide dispersion strengthened superalloy MA 754 |
| J. Rösler, M. Bäker
and M. Volgrmann | 3659 | Stress state and failure mechanisms of thermal barrier coatings: role of creep in thermally grown oxide |
| A. E. Giannakopoulos,
I. A. Blech and S. Suresh | 3671 | Large deformation of thin films and layered flat panels: effects of gravity |
| D. L. Medlin, S. M. Foiles
and D. Cohen | 3689 | A dislocation-based description of grain boundary dissociation: application to a 90° $\langle 110 \rangle$ tilt boundary in gold |
| M. Kouzeli, L. Weber,
C. San Marchi and
A. Mortensen | 3699 | Influence of damage on the tensile behaviour of pure aluminium reinforced with ≥ 40 vol. pct alumina particles |
| J. Colin, M. Grinfeld and
J. Grilhé | 3711 | Thermodynamic approach of surface instability under irradiation |
| P. Miranda, A. Pajares,
F. Guiberteau,
F. L. Cumbreira
and B. R. Lawn | 3719 | Role of flaw statistics in contact fracture of brittle coatings |
| C. H. Henager Jr,
C. A. Lewinsohn
and R. H. Jones | 3727 | Subcritical crack growth in CVI SiC _f /SiC composites at elevated temperatures: effect of fiber creep rate |

- | | | |
|--|------|---|
| C. H. Henager, Jr and
R. G. Hoagland | 3739 | Subcritical crack growth in CVI SiC _f /SiC composites at elevated temperatures: dynamic crack growth model |
| L. Cretegny and A. Saxena | 3755 | AFM characterization of the evolution of surface deformation during fatigue in polycrystalline copper |
| C. S. Lee, L. C. De Jonghe
and G. Thomas | 3767 | Mechanical properties of polytypoidally joined Si ₃ N ₄ -Al ₂ O ₃ |
| C. S. Lee, X. F. Zhang and
G. Thomas | 3775 | Novel joining of dissimilar ceramics in the Si ₃ N ₄ -Al ₂ O ₃ system using polytypoid functional gradients |
| R. Vaidyanathan, M. Dao,
G. Ravichandran and
S. Suresh | 3781 | Study of mechanical deformation in bulk metallic glass through instrumented indentation |
| D. E. Solas, C. N. Tomé,
O. Engler and H. R. Wenk | 3791 | Deformation and recrystallization of hexagonal metals: modeling and experimental results for zinc |
| E. Cerreta and S. Mahajan | 3803 | Formation of deformation twins in TiAl |
| M. Yu. Gutkin,
K. N. Mikaelyan and
V. E. Verijenko | 3811 | Heterogeneous nucleation of martensite near free surface |
| M. Schwind and J. Ågren | 3821 | A random walk approach to Ostwald ripening |
| M. Furukawa,
A. Utsunomiya,
K. Matsubara, Z. Horita and
T. G. Langdon | 3829 | Influence of magnesium on grain refinement and ductility in a dilute Al-Sc alloy |
| E. R. de Freitas and
M. Ferrante | 3839 | Rheological behaviour and deformation characteristics of a commercial and a laboratory-cast Al-4%Cu alloy in the semi-solid state |
| Q. Xu and E. J. Lavernia | 3849 | Influence of nucleation and growth phenomena on microstructural evolution during droplet-based deposition |
| B. N. Cox, N. Sridhar
and I. J. Beyerlein | 3863 | Inertial effects in the pullout mechanism during dynamic loading of a bridged crack |
| L. M'Cirdi, J. L. Lebrun,
K. Inal and G. Barbier | 3879 | Experimental approach of a crystallographic cleavage criterion in a cast aged duplex stainless steel |

NUMBER 19

- | | | |
|--|------|--|
| X. Y. Zhang, J. W. Zhang and
W. K. Wang | 3889 | Crystallization kinetics and phase transition under high-pressure of amorphous Sm ₄ Fe ₈₅ Si ₂ C ₅ alloy |
| M. Dao, N. Chollacoop,
K. J. Van Vliet,
T. A. Venkatesh and
S. Suresh | 3899 | Computational modeling of the forward and reverse problems in instrumented sharp indentation |
| I. Karaman, H. Sehitoglu,
H. J. Maier and
Y. I. Chumlyakov | 3919 | Competing mechanisms and modeling of deformation in austenitic stainless steel single crystals with and without nitrogen |

M. Hommel and O. Kraft	3935	Deformation behavior of thin copper films on deformable substrates
X. Qiu, Y. Huang, W. D. Nix, K. C. Hwang and H. Gao	3949	Effect of intrinsic lattice resistance in strain gradient plasticity
C. San Marchi and A. Mortensen	3959	Deformation of open-cell aluminum foam
X. Ren and M. Hagiwara	3971	Displacive precursor phenomena in Ti-22Al-27Nb intermetallic compound prior to diffusional transformation
K. Horikawa, S. Kuramoto and M. Kanno	3981	Intergranular fracture caused by trace impurities in an Al-5.5 mol% Mg alloy
J. R. Harris, J. A. D. Wattis and J. V. Wood	3991	A comparison of different models for mechanical alloying
X. W. Zhou, H. N. G. Wadley, R. A. Johnson, D. J. Larson, N. Tabat, A. Cerezo, A. K. Petford- Long, G. D. W. Smith, P. H. Clifton, R. L. Martens and T. F. Kelly	4005	Atomic scale structure of sputtered metal multilayers
A. Epishin, T. Link, U. Brückner and P. D. Portella	4017	Kinetics of the topological inversion of the γ/γ' -microstructure during creep of a nickel-based superalloy
M. A. Meyers, O. Vöhringer and V. A. Lubarda	4025	The onset of twinning in metals: a constitutive description
L. Ratke and C. Beckermann	4041	Concurrent growth and coarsening of spheres
R. W. Hayes, R. Rodriguez and E. J. Lavernia	4055	The mechanical behavior of a cryomilled Al-10Ti-2Cu alloy
Y. Q. Wu, T. Bitoh, K. Hono, A. Makino and A. Inoue	4069	Microstructure and properties of nanocrystalline Fe-Zr-Nb-B soft magnetic alloys with low magnetostriction
S. Diligent, E. Gautier, X. Lemoine and M. Berveiller	4079	Lattice orientation dependence of the stored energy during cold-rolling of polycrystalline steels
G. S. Smith, E. B. Tadmor, N. Bernstein and E. Kaxiras	4089	Multiscale simulations of silicon nanoindentation

- | | | |
|--|------|--|
| M. Radovic, M. W. Barsoum,
T. El-Raghy and
S. Wiederhorn | 4103 | Tensile creep of fine grained (3–5 μm) Ti_3SiC_2 in the
1000–1200°C temperature range |
| C. M. F. Rae and R. C. Reed | 4113 | The precipitation of topologically close-packed phases in
rhenium-containing superalloys |
| L. Lu, M. L. Sui and K. Lu | 4127 | Cold rolling of bulk nanocrystalline copper |
| H. D. Espinosa and
B. A. Gailly | 4135 | Modeling of shear instabilities observed in cylinder
collapse experiments performed on ceramic powders |

NUMBER 20

- | | | |
|---|------|---|
| S. S. Babu, M. K. Miller,
J. M. Vitek and
S. A. David | 4149 | Characterization of the microstructure evolution in a nickel
base superalloy during continuous cooling conditions |
| D. Quidort and
Y. J. M. Brechet | 4161 | Isothermal growth kinetics of bainite in 0.5% C steels |
| K. Dai and L. Shaw | 4171 | Thermal and stress modeling of multi-material laser
processing |
| H. S. Zurob, Y. Brechet and
G. Purdy | 4183 | A model for the competition of precipitation and
recrystallization in deformed austenite |
| O. Hunziker | 4191 | Theory of plane front and dendritic growth in
multicomponent alloys |
| M. A. Bab, L. Mendoza-Zélis
and L. C. Damonte | 4205 | Nanocrystalline HfN produced by mechanical milling:
kinetic aspects |
| A. C. Dodd and
P. G. McCormick | 4215 | Solid-state chemical synthesis of nanoparticulate zirconia |
| C. Picornell, J. Pons and
E. Cesari | 4221 | Stabilisation of martensite by applying compressive stress
in Cu-Al-Ni single crystals |
| T. Sakata, H. Y. Yasuda and
Y. Umakoshi | 4231 | Control of microstructure and orientation distribution in
Ni-Al-based (β/γ') two phase alloys by thermomechanical
processing |
| R. C. Pullar, M. H. Stacey,
M. D. Taylor and
A. K. Bhattacharya | 4241 | Decomposition, shrinkage and evolution with temperature
of aligned hexagonal ferrite fibres |
| M. Ueda, H. Y. Yasuda and
Y. Umakoshi | 4251 | Stress-induced martensitic transformation in Fe-Ni
bicrystals |

H. Gabrisch, L. Kjeldgaard, E. Johnson and U. Dahmen	4259	Equilibrium shape and interface roughening of small liquid Pb inclusions in solid Al
S. Liu, R. E. Napolitano and R. Trivedi	4271	Measurement of anisotropy of crystal-melt interfacial energy for a binary Al-Cu alloy
S. R. Agnew, M. H. Yoo and C. N. Tomé	4277	Application of texture simulation to understanding mechanical behavior of Mg and solid solution alloys containing Li or Y
P. D. Zavattieri and H. D. Espinosa	4291	Grain level analysis of crack initiation and propagation in brittle materials
D. F. Teter, I. M. Robertson and H. K. Birnbaum	4313	The effects of hydrogen on the deformation and fracture of β -titanium
P. Redanz and N. A. Fleck	4325	The compaction of a random distribution of metal cylinders by the discrete element method
M. Hiratani and E. M. Nadgorny	4337	Combined model of dislocation motion with thermally activated and drag-dependent stages
Z. Sun, Y. Zhou and M. Li	4347	High temperature oxidation behavior of Ti_3SiC_2 -based material in air
J. P. Monchoux, C. Verdu, G. Thollet, R. Fougères and A. Reynaud	4355	Morphological changes of graphite spheroids during heat treatment of ductile cast irons
M. F. Horstemeyer, M. I. Baskes and S. J. Plimpton	4363	Length scale and time scale effects on the plastic flow of fcc metals

I	List of Contents, Author Index and Keyword Index, Volume 49
---	--

